



We keep you moving forward



MultiBaler 820
Baler-wrapper combination



We as KNOLL know that all the work in the field needs to be done in as little time as possible. You expect reliability and a certain performance of your machineto do the job.

With our MultiBalers we provide in your needs. Versatile machines adding a value to your activities whenever you wish.

**We are proud on this,
because your story is our story.**

About us

Knoll B.V. has been active in various developments in the field of balers and wrappers over the past decades, both as an importer and manufacturer. In 2019, the company moved into a new building with a showroom and large workshop on the De Esch industrial estate in Staphorst.

A good partnership ensures perfect machines and satisfied customers.

Knoll B.V. has been working with Agronic Oy from Finland, a manufacturer of agricultural machinery, for many years. This collaboration began in 1997. Knoll B.V. imported bale wrappers from this Finnish company. Due to its intensive involvement in the sale of round balers and wrappers, Knoll B.V. decided in 2008 to launch its own machine on the market, using the name AGRONIC.

After the successful development of various machines, it was decided in 2021 to sell these machines under the KNOLL brand name.

The strong partnership with Agronic has brought out the best in us for years. Together, we are successful in developing sustainable and reliable machines that create added value for our customers! A good partnership ensures perfect machines and satisfied customers!

Team Knoll B.V.

The 'small' powerhouse

The KNOLL MultiBaler 820 is a compact machine for processing short crops & materials into 'midi' sized round bales. Midibales are ideal for users with a low feed rate and are very manageable due to their size and corresponding weight.



KNOLL MULTIBALER 820
**A TRUE STANDOUT
IN ITS CLASS!**

As the smallest model in the renowned KNOLL MultiBaler series, the 820 may be modest in size but big on performance. Its robust construction, equivalent to that of the larger models, guarantees durability and reliability in a wide range of conditions. Users worldwide rely on the MultiBaler 820 for a wide range of applications.

Thanks to its thoughtful design, ease of use and consistent output, the MultiBaler 820 is the ideal solution for those who want to produce compact bales without compromising on quality or capacity. A true standout in its class!

Features of the KNOLL MultiBaler 820



- Bale size 85 cm (width) x 85 – 90 cm (Ø)
- Bale volume 0,48 – 0,54 m³
- Bale weight 200–450 kg. (depending on material)
- Bunker volume 2.50 m³
- On-board hydraulic system with oil cooler
- Capacity 35–45 bales/hour

Chop, bale & wrap in one pass



Reliable operating system

The machine is operationally controlled by a fully automatic control system. This system has been developed by our own software engineers, enabling us to optimise it for all applications.

The multilingual control programme makes it possible for almost anyone to work with this machine easily.



'On-board' hydraulic system

KNOLL MultiBalers are standard equipped with their own hydraulic system based on two oil pumps. An oil cooling system is also included.

This system enables easy drive of the machines with only a 540 rpm PTO drive.



Film- & Netbinding system

KNOLL MultiBalers are standard equipped with a binding system where both net and mantelfilm can be used.

The choice of net or mantelfilm depends on the type of material or the user's requirements.

In both cases the binding system of the MultiBaler 820 ensures a neat finish of the pressed bale, before it is wrapped.

The most practical way of compacting many materials into round bales!

The KNOLL MultiBaler 820 is the most suitable machine to compact different kinds of materials into round midi bales. Think for example of maize, press pulp, chopped grass, straw and other high-fibre products. A high press density guarantees the best quality fodder!

KNOLL MultiBalers guarantee a high capacity (number of bales/hour). Sophisticated technology and an efficient process ensure the highest possible output. Being a machine owner means paying attention to the Total Cost of Ownership. KNOLL machines are equipped with high quality parts and require little maintenance, resulting in a long service life and low cost per bale.



Stationary & mobile use

KNOLL MultiBalers can be used functionally. Both mobile, directly in the field and stationary at a fixed location.

It is even possible to use the machine in one operation by combining it with a front- or trailed harvester.

For stationary use, a 'KNOLL Dropbunker' can be a useful tool to load the machine with a silage wagon.

Direct drive by 'KNOLL Electro Powerpack'

A KNOLL MultiBaler 820 can optionally be powered by a KNOLL Electro Powerpack. This is a perfect solution for stationary use at fixed (indoor) locations.

This "electric drive" saves space, produces no exhaust fumes and ensures cost-effective use of the machine.

A power pack is supplied complete supplied with housing, electric motor and switch box.



Direct drive by 'KNOLL Diesel Powerpack'

A KNOLL MultiBaler 820 can be optionally fitted with a 'Diesel Powerpack'. This allows you to operate cost-effectively thanks to low diesel consumption. The integrated engine on the machine enables both stand-alone and mobile operation, providing maximum flexibility in the field. The powerpack is equipped with a powerful 51 kW Hatz diesel engine, compliant with Tier 4 emission standards.



PDH-10 additive system

The fully automatic PDH-10 system ensures the best quality silage. This system was developed in-house. The pump is equipped with a stainless steel pump unit that is resistant to various types of acids and additives.

Any type of additive can be added automatically during automatic operation of the machine. The operation and settings of this PDH-10 system are integrated into the machine's software.



2,50 m3 Infeding bunker

A KNOLL MultiBaler 820 is equipped with a compact feed bunker with a capacity of 2.50 m3.

A bottom chain with conveyer bars moves the material towards the bale chamber. This 'horizontal' method of feeding makes it possible to process many types of material without problems.

Loading the feed hopper is possible in various ways.

■ How does the MultiBaler 820 work?

1. Loading and feeding the material

Loose material should be loaded from above into the bunker of the machine. This can be done using a tractor + front loader, crane or wheel loader.

The feed bunker can also be loaded from the ground or in combination with a silage wagon using the optional "KNOLL Dropbunker".

After loading, the material is transported to the bale chamber fully automatically by means of a bottom chain

Shortly before the bale chamber, two dosing rollers ensure a regular distribution and flow of material towards the bale chamber.

2. Compacting into round bales

The material is compacted in the bale chamber resulting in a volume reduction of up to 50-70%. This depends on the type of crop or material and the dry matter content.

The bale chamber of the MultiBaler 820 is fitted with two heavy-duty drive chains with 82 tight bars between them. This system together ensures a closed bale chamber.

Each tight bar exerts pressure and traction on the material during baling, ensuring shape-retaining bales.

This special chain system handles many short-cut materials and shapes them into a perfectly shaped bale.



3. Bale wrapping/ net wrapping

After compacting the material into a round bale, it is important that the bale is tied properly with net or mantelfilm before it leaves the bale chamber.

Secure film or net binding ensures perfectly shaped bales. The MultiBaler 1220 owner can choose whether to use net or sheeting for this process.


The "film & film" principle is based on a number of layers of mantelfilm in combination with wrapping film that is tied around the bale and guarantees a high bale density.

4. Integrated return system

KNOLL MultiBalers are equipped with an integrated return system for recycling "crumb losses".

During the processing of (short) materials, small losses always occur. With the help of the return system, no product is lost.

The return system consists of a construction that is located under the entire length of the bale chamber and wrapper. From here, the losses are transported to the front of the machine by means of a bottom chain.



5. Automatic wrapping with film control

KNOLL MultiBalers are equipped with an ingenious wrapping system. When the bale is ready in the bale chamber, it is automatically transferred to the wrapper.


The wrapper is equipped with a wrapping arm with two film stretchers for 500 mm film rolls and two cut-and-hold cutting systems for the wrapping film.

During the bale wrapping the process is monitored by the film control system. When a film roll is empty or when it breaks, the system reacts automatically.

TECHNICAL DATA OF THE KNOLL MULTIBALER 820

Dimensions & Weight	
Transport length	7.00 mtr.
Transport width	2.23 mtr.
Transport height	3.10 mtr.
Feed hopper volume	2,5 m ³
Wheels	295/60-15
Weight	3.650 kg
Brake system	N/A, unbraked (brake system optional)
Required power	
Required tractor power	70 Hp / 52 kW.
Bale size & capacity	
Bale size (width x diameter)	85 cm x Ø 80-90 cm
Bale volume	0.48 m ³ – 0.54 m ³
Bale weight	250-450 kg
Number of bales per hour	35-45
Attachment & Drive system	
Attachment to tractor	Rotatable flange eye
PTO	1-3/8" (6 splines) – 540 rpm.
Hydraulic system	
Hydraulic system	"On-board" hydraulic system with oil cooler
Hydraulic connections	No connections necessary

Elektric system	
Elektric connections	12 volt DC connections & road lighting
Operator system	Electronic control unit (dust- and water resistant)
Wrapping & Binding system	
Wrapping system	Double wrap arm with 500 mm film stretch units
Binding system	Filmbinding and Netbinding
Filmbreak detection system	Yes, automatic for both binding & wrap system
Extra storage of wrapping film	5 rolls
Extra storage for mantelfilm/net	1 rolls



What do customers say about the KNOLL MultiBaler 820?



Bart de Jager

Jubbega
The Netherlands

As a feed specialist, Bart de Jager knows exactly what his customers need. In order to provide optimal service to small livestock farmers with hobby animals, he chose the MultiBaler 820.

Bart explains:

"The midi bale is the perfect size for many of my customers: easy to handle, easy to transport and ideal to use. With the MultiBaler 820, I can produce bales of consistent quality from maize, mixed feed and beet pulp, among other things. This allows me to supply every livestock farmer with exactly what they need."

'What I also really like is that the machine can be used both mobile and stationary. This allows me to press the bales directly on the field, which is of course extremely efficient. I can therefore wholeheartedly recommend the KNOLL MultiBaler 820!'



“ The midi bale is the perfect size for many of my customers: easy to handle, easy to transport and ideal to use. ”



■ Applications

The processing of chopped and shredded crops and materials into high-density round bales is what the KNOLL MultiBalers excel at! Our customers use our MultiBalers to bale a wide range of different materials.



Maize/Corn Silage



Chopped grass



GPS (whole plant silage)



TMR (Total Mixed Ratio)



CCM (corn cob scrap)



RDF (waste)

Examples of other materials that can be baled with a KNOLL MultiBaler 820
Alfalfa | Lucerne | Dried manure | Cereals | Wood chips | Sugar beet pulp | Peat
Hemp | Cotton | Plastic



www.knoll-balers.com



Global service network and experienced users

Even the best machines cannot do without service! KNOLL Midi and MultiBalers are active in more than 80 countries and our service team is there for all customers. Our customers can rely on our commitment so they can expect the maximum performance from their machine. Service is a high priority at KNOLL. If you are already a customer of ours, you undoubtedly know this. We are not satisfied until you are. Service is not a hollow concept with us, but consists of three components that you can rely on.



Machines are provided with expertly compiled user manuals and parts information



Original spare parts of high quality. Everything in stock, fast delivery.



Our goal is to help you as quickly as possible. We can be reached through various communication channels.

www.knoll-balers.com

We keep you moving forward



www.knoll-balers.com



WEBSITE KNOLL-BALERS.COM

Would you like more information, photos and videos of the KNOLL MultiBaler 820?

Then take a look at our website!



www.knoll-balers.com

Want to go directly to the website?
Scan the QR code!



CHECK OUT OUR YOUTUBE CHANNEL



On our YouTube channel KnollBV, you will find various videos of the KNOLL MultiBaler 820 in action.

YouTube



Want to go straight to the videos? Scan the QR code!

We operate globally in more than 80 countries with our Midi and MultiBalers.




- Klanten
- Dealers



We are here to assist you!

Baling and wrapping often takes place during short periods when the weather permits. Providing accurate service during downtime is a must. That means more than just repairing malfunctions. We provide objective advice on whether to repair or replace parts and also provide information about the latest techniques and developments in the field of baling and wrapping.



KNOLL MidiFix II

Our product range



KNOLL Midi- en MultiBalers



KNOLL MultiBaler 820



KNOLL MultiBaler 1220




KNOLL MultiBaler XL



Sales office:

Knoll - Baling & Wrapping
Achthoevenweg 40
7951 SK STAPHORST
NETHERLANDS

Contact details:

-  (+31) 0522 - 29 13 77
-  sales@knoll-balers.com
-  www.knoll-balers.com

You can also find us on:



Knoll - Baling & Wrapping
is part of Knoll B.V.

